

# MATERIAL SAFETY DATA SHEET

## TERGAJET®

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations



### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **TERGAJET®**  
CHEMICAL FAMILY NAME: Detergent.  
PRODUCT USE: Critical-cleaning detergent for laboratory, healthcare and industrial applications  
U.N. NUMBER: Not Applicable  
U.N. DANGEROUS GOODS CLASS: Non-Regulated Material  
SUPPLIER/MANUFACTURER'S NAME: Alconox, Inc.  
ADDRESS: 30 Glenn St., Suite 309, White Plains, NY 10603. USA  
EMERGENCY PHONE: **TOLL-FREE in USA/Canada** 800-255-3924  
**International calls** 813-248-0585  
BUSINESS PHONE: 914-948-4040  
DATE OF PREPARATION: May 2011  
DATE OF LAST REVISION: February 2008

### SECTION 2 - HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** This product is a white granular powder with little or no odor. Exposure can be irritating to eyes. It is a non-flammable solid. The Environmental effects of this product have not been investigated.

US DOT SYMBOLS

Non-Regulated

CANADA (WHMIS) SYMBOLS



EUROPEAN and (GHS) Hazard Symbols



Signal Word: **Warning!**

#### EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1

CAS# 6132-04-3 Not listed

EC# 207-638-8 Index# 011-005-00-2

EC# 231-665-7 Index# 016-046-00-X

EC# 215-687-4 This substance is not classified in the Annex I of Directive 67/548/EEC

EC# 229-912-9 Index# 014-010-00-8

EC# 239-707-6 This substance is not classified in the Annex I of Directive 67/548/EEC

EC# 500-242-1 This substance is not classified in the Annex I of Directive 67/548/EEC

#### GHS Hazard Classification(s):

Eye Irritant Category 1

Skin Corr. Category 1B

STOT SE Category 3

#### Hazard Statement(s):

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage

H335: May cause respiratory irritation

#### Precautionary Statement(s):

P260: Do not breath dust/fume/gas/mist/vapors/spray

P264: Wash hands thoroughly after handling

P271: Use only in well ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection/

#### Hazard Symbol(s):

[Xi] Irritant

# MATERIAL SAFETY DATA SHEET

## TERGAJET®

### Risk Phrases:

R20: Harmful by inhalation  
R36/37/38: Irritating to eyes, respiratory system and skin  
R41: Risk of serious damage to eyes.

### Safety Phrases:

S8: Keep container dry  
S22: Do not breath dust  
S24/25: Avoid contact with skin and eyes.  
S26: In case of contact with eyes, rinse with plenty of water and seek medical advice.

### HEALTH HAZARDS OR RISKS FROM EXPOSURE:

**ACUTE:** Exposure to this product may cause irritation of the eyes, respiratory system and skin. Ingestion may cause gastrointestinal irritation including pain, vomiting or diarrhea.

**CHRONIC:** This product contains an ingredient which may be corrosive.

### TARGET ORGANS:

ACUTE: Eye, Respiratory System, Skin

CHRONIC: None Known

## SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Sodium Citrate, Dihydrate	6132-04-3	Not Listed	Not Listed	20 - 30%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Sodium Carbonate	497-19-8	207-638-8	1135	13 - 23%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36
Sodium Sulfate	7681-38-1	231-665-7	Not Listed	10 - 20%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R41
Hydrous Polysilicate	1344-09-8	215-687-4	1137	5 - 15%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Sodium Metasilicate	6834-92-0	229-912-9	0359	1 - 10%	HAZARD CLASSIFICATION: [C] Corrosive. [Xi] Irritant RISK PHRASES: R34, R37
Sodium Precarbonate	15630-89-4	239-707-6	Not Listed	2 - 7%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Alkoxylated Alcohol	69227-21-0	500-242-1	Not Listed	0.1 - 3%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

**NOTE:** ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250: 2000*.

## SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

**SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

# MATERIAL SAFETY DATA SHEET

## TERGAJET®

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing skin, or eye problems may be aggravated by prolonged contact.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and reduce over-exposure.

### SECTION 5 - FIRE-FIGHTING MEASURES

**FLASH POINT:**

Not Flammable

**AUTOIGNITION TEMPERATURE:**

Not Applicable

**FLAMMABLE LIMITS (in air by volume, %):**

Lower (LEL): NA Upper (UEL): NA

**FIRE EXTINGUISHING MATERIALS:**

As appropriate for surrounding fire. Carbon dioxide, foam, dry chemical, halon, or water spray.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

This product is non-flammable and has no known explosion hazards.

Explosion Sensitivity to Mechanical Impact:

Not Sensitive.


Explosion Sensitivity to Static Discharge:

Not Sensitive

**SPECIAL FIRE-FIGHTING PROCEDURES:**

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

#### NFPA RATING SYSTEM



#### HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			1
FLAMMABILITY HAZARD (RED)			0
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

**Hazard Scale:** 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

**SPILL AND LEAK RESPONSE:** Personnel should be trained for spill response operations.

**SPILLS:** Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Sweep, shovel or vacuum spilled material and place in an appropriate container for re-use or disposal. Avoid dust generation if possible. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

### SECTION 7 - HANDLING and STORAGE

**WORK PRACTICES AND HYGIENE PRACTICES:** As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing dusts generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

**STORAGE AND HANDLING PRACTICES:** Containers of this product must be properly labeled. Store containers in a cool, dry location. Keep container tightly closed when not in use. Store away from strong acids or oxidizers.

# MATERIAL SAFETY DATA SHEET

# TERGAJET®

## SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

### EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	SWA
Sodium Citrate, Dihydrate	6132-04-3	10 mg/m <sup>3</sup> Total Dust	15 mg/m <sup>3</sup> Total Dust	10 mg/m <sup>3</sup> Total Dust
Sodium Carbonate	497-19-8	10 mg/m <sup>3</sup> Total Dust	15 mg/m <sup>3</sup> Total Dust	10 mg/m <sup>3</sup> Total Dust
Sodium Sulfate	7681-38-1	10 mg/m <sup>3</sup> Total Dust	15 mg/m <sup>3</sup> Total Dust	10 mg/m <sup>3</sup> Total Dust
Hydrous Polysilicate	1344-09-8	10 mg/m <sup>3</sup> Total Dust	15 mg/m <sup>3</sup> Total Dust	10 mg/m <sup>3</sup> Total Dust
Sodium Metasilicate	6834-92-0	10 mg/m <sup>3</sup> Total Dust	15 mg/m <sup>3</sup> Total Dust	10 mg/m <sup>3</sup> Total Dust
Sodium Precarbonate	15630-89-4	10 mg/m <sup>3</sup> Total Dust	15 mg/m <sup>3</sup> Total Dust	10 mg/m <sup>3</sup> Total Dust
Alkoxylated Alcohol	69227-21-0	10 mg/m <sup>3</sup> Total Dust	15 mg/m <sup>3</sup> Total Dust	10 mg/m <sup>3</sup> Total Dust

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

*The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.*

**RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above. Please check with competent authority in each country for the most recent limits in place. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

**HAND PROTECTION:** Use chemical resistant gloves to prevent skin contact.. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

**BODY PROTECTION:** Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

## SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

<b>PHYSICAL STATE:</b>	Solid
<b>APPEARANCE &amp; ODOR:</b>	White granular powder with little or no odor.
<b>ODOR THRESHOLD (PPM):</b>	Not Available
<b>VAPOR PRESSURE (mmHg):</b>	Not Applicable
<b>VAPOR DENSITY (AIR=1):</b>	Not Applicable.
<b>BY WEIGHT:</b>	Not Available
<b>EVAPORATION RATE (nBuAc = 1):</b>	Not Applicable.
<b>BOILING POINT (C°):</b>	Not Applicable.
<b>FREEZING POINT (C°):</b>	Not Applicable.
<b>pH:</b>	11.5 (1% aqueous solution)
<b>SPECIFIC GRAVITY 20°C: (WATER =1)</b>	0.85 – 1.25
<b>SOLUBILITY IN WATER (%)</b>	>10% w/w
<b>COEFFICIENT OF WATER/OIL DIST.:</b>	Not Available
<b>VOC:</b>	None
<b>CHEMICAL FAMILY:</b>	Detergent

## SECTION 10 - STABILITY and REACTIVITY

# MATERIAL SAFETY DATA SHEET

TERGAJET®

**STABILITY:** Product is stable

**DECOMPOSITION PRODUCTS:** When heated to decomposition this product produces Oxides of carbon (COx), Hydrogen compounds, fumes and smoke

**MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** Strong acids and strong oxidizing agents.

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** Contact with incompatible materials and dust generation.

## SECTION 11 - TOXICOLOGICAL INFORMATION

**TOXICITY DATA:** Toxicity data is available for mixture:

CAS# 497-19-8 LD50 Oral (Rat)	4090 mg/kg
CAS# 497-19-8 LD50 Oral (Mouse)	6600 mg/kg
CAS# 497-19-8 LC50 Inhalation (Rat)	2300 mg/m <sup>3</sup> 2H
CAS# 497-19-8 LC50 Inhalation (Mouse)	1200 mg/m <sup>3</sup> 2H
CAS# 1344-09-8 LD50 Oral (Rat)	Not Available
CAS# 15630-89-4 LD50	Not Available

**SUSPECTED CANCER AGENT:** None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

**IRRITANCY OF PRODUCT:** Contact with this product can be irritating to exposed skin, eyes and respiratory system.

**SENSITIZATION OF PRODUCT:** This product is not considered a sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** No information concerning the effects of this product and its components on the human reproductive system.

## SECTION 12 - ECOLOGICAL INFORMATION

**ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.**

**ENVIRONMENTAL STABILITY:** No Data available at this time.

**EFFECT OF MATERIAL ON PLANTS or ANIMALS:** No evidence is currently available on this product's effects on plants or animals.

**EFFECT OF CHEMICAL ON AQUATIC LIFE:** No evidence is currently available on this product's effects on aquatic life.

## SECTION 13 - DISPOSAL CONSIDERATIONS

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

## SECTION 14 - TRANSPORTATION INFORMATION

**US DOT; IATA; IMO; ADR:**

**THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.**

**PROPER SHIPPING NAME:** Non-Regulated Material

**HAZARD CLASS NUMBER and DESCRIPTION:** Not Applicable

**UN IDENTIFICATION NUMBER:** Not Applicable

**PACKING GROUP:** Not Applicable.

**DOT LABEL(S) REQUIRED:** Not Applicable

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004):** Not Applicable

**MARINE POLLUTANT:** None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:**

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

**TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:**

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

**INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):**

This product is not classified as Dangerous Goods, by rules of IATA:

**INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:**

This product is not classified as Dangerous Goods by the International Maritime Organization.

**EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):**

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

# MATERIAL SAFETY DATA SHEET

TERGAJET®

## SECTION 15 - REGULATORY INFORMATION

### UNITED STATES REGULATIONS

**SARA REPORTING REQUIREMENTS:** This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

#### SARA 311/312:

Acute Health: Yes                      Chronic Health: No                      Fire: No                      Reactivity: No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** None of the ingredients are on the California Proposition 65 lists.

### CANADIAN REGULATIONS:

**CANADIAN DSL/NDL INVENTORY STATUS:** All of the components of this product are on the DSL Inventory

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This product is categorized as a Controlled Product, Hazard Class E, D2B as per the Controlled Product Regulations

### EUROPEAN ECONOMIC COMMUNITY INFORMATION:

#### EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

### AUSTRALIAN INFORMATION FOR PRODUCT:

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS:** All components of this product are listed on the AICS.

**STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS:** Not applicable.

### JAPANESE INFORMATION FOR PRODUCT:

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:** The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

### INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed
Australian Inventory of Chemical Substances (AICS):	Listed
Korean Existing Chemicals List (ECL):	Listed
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Listed
Swiss Giftliste List of Toxic Substances:	Listed
U.S. TSCA:	Listed

## SECTION 16 - OTHER INFORMATION

**PREPARED BY:** Paul Eigbrett      Global Safety Management, 10006 Cross Creek Blvd. Suite 440, Tampa, FL 33647

**Disclaimer:** To the best of Alconox, Inc. knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.

# MATERIAL SAFETY DATA SHEET

TERGAJET®

## ANNEX:

### IDENTIFIED USES OF TERGAJET® AND DIRECTIONS FOR USE

**Used to clean:** Water testing labware cleaning, phosphate sensitive lab equipment cleaning, hospital instruments, optical components, pharmaceutical apparatus, cosmetics manufacturing equipment, tissue culture ware, plate glass, metal castings, forgings and stampings, industrial parts, animal cages, electronic components, tanks and reactors USDA food contact surface cleaning compliant. FDA certified.

**Used to remove:** Soil, radioisotopes, radioactivity, organics, grit, grime, slime, grease, tars, resins, fats, oils, blood, tissue, particulates, inorganic residues, chemical and solvents.

**Surfaces cleaned:** Recommended for glass, stainless steel, Teflon®, ceramic, cement and alkali resistant plastics and metals. Tergajet is inhibited for Aluminum. Corrosion testing is advisable.

**Cleaning method:** Laboratory warewashers, dishwashers, washer-sterilizers, washersanitizers, cart washers, spray washers, electrocleaning, ultrasonic cleaners, clean-inplace and manual cleaning if proper skin and eye protection is used.

**Directions:** Follow machine manufacturer's directions and use the powder detergent receptacles. In general, use 1/2 - 1% hot water wash cycle solutions (1 1/4 - 2 1/2 Tbsp. per gal., 3/4 - 1 1/4 oz. per gal. or 5-10 grams per liter -- most machines need 2 1/2 oz. added at a typical 2 gal. wash cycle). For manual, soak, circulate or ultrasonic use, make a 1% solution in warm or hot water. For abrasive scrubbing, make a paste. For difficult soils, raise water temperature and use more detergent. Wear protective gloves and eyewear when handling. RINSE THOROUGHLY-- preferably with running water. For critical cleaning, do final or all rinsing in distilled, deionized or purified water. For food contact surfaces, rinse with potable water. Used on a wide range of glass, ceramic, plastic and metal surfaces. Corrosion testing is advisable.